

Salix Symposium Meise, Belgium

25.5.2019

Henry Väre

Finnish Museum of Natural History, Botanical Museum

University of Helsinki





In Finland we have as currently understood, 20 willow species, 6 subspecies and two varieties



Salix arbuscula, last seen in 1950's

Salix pentandra





5 – 12 (– 22) m
moist ground


Salix triandra



2 – 5 (– 7,5) m
moist ground





Salix reticulata




5 – 15 cm
alpine, Ca++


Salix herbacea
1 – 5 cm
alpine





Salix polaris



1 – 5 cm
alpine




Salix glauca subsp. *glauca*




0,5 – 2 m
alpine – boreal, moist ground



Salix glauca subsp. *stipulifera*



Salix myrsinoides



Salix myrsinoides

0,2 – 1 m

alpine – boreal,
moist ground








Salix hastata subsp. *hastata*

0,5 – 1,5 m

alpine – boreal, moist ground






Salix hastata subsp. *integrifolia*





Salix pyrolifolia

3 – 5 m, Ca++
boreal, moist ground





Salix myrtilloides



1x


0,2 – 0,8 m
hemiboreal – boreal, moist ground




Salix repens subsp. *repens* x subsp. *rosmarinifolia*





0,1 – 2 m
temperate – boreal,
dry ground




Salix repens subsp. *repens* var. *argentea*



Salix repens subsp. *rosmarinifolia*



Salix phylicifolia




Salix phylicifolia

2 – 3 m
hemiboreal –
boreal,
dry to moist
ground



Salix myrsinifolia subsp. *myrsinifolia*




2 – 8 m
temperate – boreal,
moist ground






Salix myrsinifolia subsp. *borealis*



Salix myrsinifolia subsp. *kolaensis*



Salix caprea subsp. *caprea*






5 – 10 (– 25) m
temperate – boreal,
dry ground









Salix caprea subsp. *sphacelata*



Salix cinerea



2 – 4 (– 9) m
temperate – boreal,
moist ground






Salix aurita





0,5 – 2,5 m
temperate – boreal,
moist ground








Salix starkeana





0,5 – 1,5 m
temperate – boreal,
dry ground







Salix bebbiana

0,5 – 1,5 m
boreal, dry ground




Salix lanata var. *lanata*







Salix lanata var. *glandulosa*




1/2

Salix lapponeum







0,5 – 1,5 m
boreal – alpine,
moist ground





Salix gmelinii



Salix alba 'Sibirica'



Salix 'Lasipalatsi'



Salix euxina 'Bullata'

